

<b>AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT</b>				1. CONTRACT ID CODE		PAGE OF PAGES	
				1		2	
2. AMENDMENT/MODIFICATION NO. 0004		3. EFFECTIVE DATE 22-Nov-2000		4. REQUISITION/PURCHASE REQ. NO. 08046884		5. PROJECT NO. (If applicable)	
6. ISSUED BY NAVAL SURFACE WARFARE CENTER, CARDEROCK DIVISION PHILADELPHIA NAVAL BUSINESS CTR. CODE 3351, C. D'ALONZO-FERRARO 5001 SOUTH BROAD ST. PHILADELPHIA, PA 19112-5083		CODE N65540		7. ADMINISTERED BY (If other than item 6)  <b>See Item 6</b>		CODE	
8. NAME AND ADDRESS OF CONTRACTOR (No., Street, County, State and Zip Code)				X		9A. AMENDMENT OF SOLICITATION NO. N65540-00-R-0077	
				X		9B. DATED (SEE ITEM 11) 20-Oct-2000	
						10A. MOD. OF CONTRACT/ORDER NO.	
						10B. DATED (SEE ITEM 13)	
CODE		FACILITY CODE					
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS							
<input checked="" type="checkbox"/> The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offer <input type="checkbox"/> is extended, <input checked="" type="checkbox"/> is not extended. Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended by one of the following methods: (a) By completing Items 8 and 15, and returning <u>1</u> copies of the document; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or telegram which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN THE REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.							
12. ACCOUNTING AND APPROPRIATION DATA (If required)							
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS. IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.							
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.							
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(B).							
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:							
D. OTHER (Specify type of modification and authority)							
E. IMPORTANT: Contractor <input type="checkbox"/> is not, <input type="checkbox"/> is required to sign this document and return _____ copies to the issuing office.							
14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.) This amendment is issued to respond to the following inquiry:							
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.							
15A. NAME AND TITLE OF SIGNER (Type or print)				16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print)			
15B. CONTRACTOR/OFFEROR		15C. DATE SIGNED		16B. UNITED STATES OF AMERICA		16C. DATE SIGNED	
(Signature of person authorized to sign)				BY (Signature of Contracting Officer)			

EXCEPTION TO SF 30  
APPROVED BY OIRM 11-84

30-105-04

STANDARD FORM 30 (Rev. 10-83)  
Prescribed by GSA  
FAR (48 CFR) 53.243

<b>CONTINUATION SHEET</b>	REFERENCE NO. OF DOCUMENT BEING CONTINUED	PAGE
	N65540-00-R-0077-0004	2 OF 2

NAME OF OFFEROR OR CONTRACTOR

SECTION SF 30 BLOCK 14 CONTINUATION PAGE

I. QUESTIONS/ANSWERS:

QUESTION 1:

Does Paragraph 1.2 of the Performance Specification mean the discharge of the dryer has to be 300 scfm or the discharge of the compressor is 300 scfm and after the dryer the cfm rating is less?

ANSWER:

The discharge of the dryer must be 300 scfm with 0oF dewpoint, that is, the compressor must be sized to provide for 300 scfm at the output of the dryer.

QUESTION 2:

Can you provide the mounting frame dimensions that the units will have to bolt to? This is required for proper location of the shock mounts.

ANSWER:

The mounting frame dimensions are at the discretion of the offeror. However, as indicated in Paragraph 3.4.2 of the Performance Specification the goal for the overall size is 120 x 60 x 70 inches and the location of the shock mounts must consider the requirement to withstand high impact shock as indicated in Paragraph 3.2.5.1. Once the dimensions of the Compressor are known, the Navy will bolt the contractor furnished frame to the ships deck.